

**GEETHANJALI INSTITUTE OF SCIENCE AND TECHNOLOGY**  
**DEPARTMENT OF ELECTRONICS AND COMMUNICATION ENGINEERING**  
**CO ATTAINMENTS**

BATCH: 2020- 24 CO Attainments

AY: 2023-24 IV Year I SEM

COURSE NAME	INTERNAL						Overall Internal	University	CO Feedback	Overall Course attainment	Set target	Attainment Status
	CO1	CO2	CO3	CO4	CO5	CO6						
C411-SC-A	2.75	3.00	2.83	2.33	2.33	2.33	2.60	2.00	2.31	2.21	1.80	ATTAINED
C411-SC-B	3.00	3.00	3.00	1.58	1.58	1.58	2.91	3.00	2.64	2.76	1.80	ATTAINED
C411-SC-C	3.00	3.00	3.00	1.92	1.67	1.92	2.42	3.00	2.62	2.78	1.80	ATTAINED
C412-DIP-A	3.00	2.50	2.33	2.33	2.33	2.33	2.47	3.00	2.23	2.72	1.80	ATTAINED
C412-DIP-B	3.00	2.50	2.33	2.33	2.33	2.33	2.47	3.00	2.23	2.72	1.80	ATTAINED
C412-DIP-C	3.00	2.50	2.33	2.33	2.33	2.33	2.47	3.00	2.23	2.72	1.80	ATTAINED
C413-CMC-A	2.33	2.21	3.00	3.00	3.00	2.21	2.65	3.00	2.48	2.81	1.95	ATTAINED
C413-CMC-B	2.67	2.29	3.00	3.00	3.00	2.21	2.69	2.00	2.48	2.26	1.95	ATTAINED
C413-CMC-C	2.75	2.63	3.00	3.00	3.00	2.21	2.76	3.00	2.48	2.84	1.95	ATTAINED
C414-MS-A	3.00	3.00	3.00	3.00	3.00	2.75	2.96	3.00	2.59	2.91	2.10	ATTAINED
C414-MS-B	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	2.59	2.92	2.10	ATTAINED
C414-MS-C	2.25	3.00	3.00	3.00	3.00	3.00	2.88	3.00	2.59	2.89	2.10	ATTAINED
C415-CEHT-A	3.00	3.00	3.00	3.00	3.00	3.00	3.00	2.00	2.73	2.39	1.95	ATTAINED
C415-CEHT-B	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	2.73	2.95	1.95	ATTAINED
C415-CEHT-C	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	2.73	2.95	1.95	ATTAINED
C416-CYS-A	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	2.73	2.95	1.95	ATTAINED
C416-CYS-B	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	2.73	2.95	1.95	ATTAINED
C416-CYS-C	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	2.73	2.95	1.95	ATTAINED
C417-IOT&A-A	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	2.68	2.92	2.55	ATTAINED
C417-IOT&A-B	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	2.68	2.94	2.55	ATTAINED
C417-IOT&A-C	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	2.68	2.94	2.55	ATTAINED

BATCH: 2020- 24 CO Attainments

AY: 2023-24 IV Year II SEM

COURSE NAME	INTERNAL						Overall Internal	University	CO Feedback	Overall Course attainment	Set target	Attainment Status
	CO1	CO2	CO3	CO4	CO5	CO6						
PRO1-A(C421)	2.54	2.43	2.43	2.57	2.57	2.57	2.52	3.00	2.34	2.82	2.50	ATTAINED
PRO1-B(C421)	2.79	2.71	2.71	2.79	2.79	2.79	2.76	3.00	2.28	2.77	2.50	ATTAINED
PRO1-C(C421)	2.88	2.85	2.85	2.88	2.88	2.88	2.87	3.00	2.56	2.71	2.50	ATTAINED

COURSE NAME	INTERNAL						Overall Internal	University	CO Feedback	Overall Course attainment	Set target	Attainment Status
	CO1	CO2	CO3	CO4	CO5	CO6						
C311-CSE-A	2.33	2.75	2.00	2.75	2.50	2.50	2.47	3.00	2.60	2.79	2.25	ATTAINED
C311-CSE-B	2.25	2.00	2.17	2.50	3.00	2.75	2.44	3.00	2.60	2.90	2.25	ATTAINED
C311-CSE-C	2.75	2.50	2.67	3.00	3.00	3.00	2.82	3.00	2.73	2.79	2.25	ATTAINED
C312-DSP-A	2.00	2.00	1.50	1.50	1.17	2.67	1.80	3.00	2.57	2.61	1.95	ATTAINED
C312-DSP-B	2.00	2.00	1.83	1.50	1.67	2.67	1.94	2.00	2.73	2.13	1.95	ATTAINED
C312-DSP-C	2.50	2.25	1.50	2.50	1.50	3.00	2.21	3.00	2.74	2.74	1.95	ATTAINED
C313-MPMC-A	2.00	2.00	1.50	2.00	1.50	2.00	1.83	3.00	2.73	2.67	1.95	ATTAINED
C313-MPMC-B	1.83	2.25	1.50	2.00	1.50	1.88	1.83	3.00	2.73	2.67	1.95	ATTAINED
C313-MPMC-C	2.33	2.50	3.00	2.50	3.00	2.00	2.55	3.00	2.73	2.84	1.95	ATTAINED
C314-CAO-A	2.83	3.00	3.00	2.67	2.67	2.67	2.80	3.00	2.73	2.90	1.95	ATTAINED
C314-CAO-B	3.00	3.00	3.00	3.00	3.00	3.00	3.00	2.00	2.73	2.39	1.95	ATTAINED
C314-CAO-C	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	2.73	2.95	1.95	ATTAINED
C315-JP-A	2.00	2.00	2.00	1.50	1.75	2.00	1.88	2.00	2.57	2.08	1.95	ATTAINED
C315-JP-B	2.50	2.00	2.00	2.00	2.00	2.25	2.13	2.00	2.53	2.14	1.95	ATTAINED
C315-JP-C	2.50	2.33	2.00	2.50	2.00	3.00	2.38	2.00	2.74	2.24	1.95	ATTAINED
C316-DSP LAB-A	2.00	2.00	2.00	2.00	2.00	2.00	2.00	3.00	2.60	2.68	2.55	ATTAINED
C316-DSP LAB-B	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	2.60	2.92	2.55	ATTAINED
C316-DSP LAB-C	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	2.60	2.92	2.55	ATTAINED
C317-MPMC LAB-A	1.00	1.00	1.00	1.00	1.00	1.00	1.00	3.00	2.57	2.43	2.40	ATTAINED
C317-MPMC LAB-B	1.00	1.00	1.00	1.00	1.00	1.00	1.00	3.00	2.57	2.43	2.40	ATTAINED
C317-MPMC LAB-C	1.00	1.00	1.00	1.00	1.00	1.00	1.00	3.00	2.57	2.43	2.40	ATTAINED
C318-PCBD-A	2.50	2.50	2.50	2.50	2.50	2.50	2.50	1.00	2.68	1.70	2.55	NOT ATTAINED
C318-PCBD-B	3.00	3.00	3.00	3.00	3.00	3.00	3.00	1.00	2.68	1.82	2.55	NOT ATTAINED
C318-PCBD-C	3.00	3.00	3.00	3.00	3.00	3.00	3.00	2.00	2.68	2.38	2.55	NOT ATTAINED



COURSE NAME	INTERNAL						Overall Internal	University	CO Feedback	Overall Course attainment	Set target	Attainment Status
	CO1	CO2	CO3	CO4	CO5	CO6						
C321-AME-A	1.92	1.67	2.17	3.00	3.00	2.50	2.38	2.00	2.56	2.20	1.95	ATTAINED
C321-AME-B	2.50	2.00	3.00	2.67	3.00	2.50	2.61	2.00	2.73	2.63	1.95	ATTAINED
C321-AME-C	2.50	2.00	3.00	2.67	3.00	2.50	2.61	3.00	2.63	2.83	1.95	ATTAINED
C322-VLSID-A	3.00	2.50	2.67	2.17	2.67	1.67	2.44	3.00	2.58	2.78	1.80	ATTAINED
C322-VLSID-B	2.83	2.46	2.67	2.67	2.67	1.67	2.49	3.00	2.73	2.83	1.80	ATTAINED
C322-VLSID-C	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	2.73	2.95	1.80	ATTAINED
C323-CN-A	3.00	3.00	2.50	2.83	2.67	2.83	2.80	3.00	2.56	2.86	1.95	ATTAINED
C323-CN-B	3.00	3.00	2.50	2.83	2.67	2.83	2.80	3.00	2.56	2.86	1.95	ATTAINED
C323-CN-C	3.00	3.00	2.50	2.83	2.67	2.83	2.80	3.00	2.56	2.86	1.95	ATTAINED
C324-ESD-A	3.00	3.00	2.67	2.67	2.67	2.67	2.78	3.00	2.63	2.87	1.95	ATTAINED
C324-ESD-B	3.00	3.00	2.67	2.67	2.67	2.67	2.78	3.00	2.65	2.87	1.95	ATTAINED
C324-ESD-C	3.00	3.00	2.67	2.67	2.67	2.67	2.78	3.00	2.74	2.89	1.95	ATTAINED
325-POS-A	3.00	3.00	2.67	2.50	3.00	3.00	2.86	2.00	2.88	2.38	1.95	ATTAINED
325-POS-B	3.00	3.00	2.83	3.00	3.00	3.00	2.97	3.00	2.67	2.93	1.95	ATTAINED
325-POS-C	3.00	3.00	2.67	3.00	2.75	3.00	2.93	3.00	2.67	2.91	1.95	ATTAINED
C326-AME LAB -A	2.00	2.00	2.00	2.00	2.00	2.00	2.00	3.00	2.56	2.67	2.55	ATTAINED
C326-AME LAB -B	2.00	2.00	2.00	2.00	2.00	2.00	2.00	3.00	2.56	2.67	2.55	ATTAINED
C326-AME LAB -C	2.00	2.00	2.00	2.00	2.00	2.00	2.00	3.00	2.63	2.69	2.55	ATTAINED
C327-VLSID LAB-A	2.00	2.00	2.00	2.00	2.00	2.00	2.00	3.00	2.63	2.69	2.55	ATTAINED
C327-VLSID LAB-B	2.00	2.00	2.00	2.00	2.00	2.00	2.00	3.00	2.63	2.69	2.55	ATTAINED
C327-VLSID LAB-C	2.00	2.00	2.00	2.00	2.00	2.00	2.00	3.00	2.63	2.69	2.55	ATTAINED
C328-CN LAB-A	2.00	2.00	2.00	2.00	2.00	2.00	2.00	3.00	2.57	2.67	2.40	ATTAINED
C328-CN LAB-B	2.00	2.00	2.00	2.00	2.00	2.00	2.00	3.00	2.57	2.67	2.40	ATTAINED
C328-CN LAB-C	2.00	2.00	2.00	2.00	2.00	2.00	2.00	3.00	2.57	2.67	2.40	ATTAINED
C329-RFSD-A	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	2.72	2.94	2.55	ATTAINED
C329-RFSD-B	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	2.72	2.94	2.55	ATTAINED
C329-RFSD-C	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	2.72	2.94	2.55	ATTAINED
C3210-IJR-A	3.00	3.00	3.00	3.00	3.00	3.00	3.00	NIL	2.52	2.90	1.95	ATTAINED
C3210-IJR-B	3.00	3.00	3.00	3.00	3.00	3.00	3.00	NIL	2.52	2.90	1.95	ATTAINED
C3210-IJR-C	3.00	3.00	3.00	3.00	3.00	3.00	3.00	NIL	2.52	2.90	1.95	ATTAINED

COURSE NAME	INTERNAL						Overall Internal	University	CO Feedback	Overall Course attainment	Set target	Attainment Status
	CO1	CO2	CO3	CO4	CO5	CO6						
C211-CVT-A	2.67	2.67	2.75	2.00	2.50	3.00	2.60	1.00	2.28	1.64	2.01	NOT ATTAINED
C211-CVT-B	2.50	2.50	2.75	2.50	2.00	3.00	2.54	1.00	2.28	1.63	2.01	NOT ATTAINED
C211-CVT-C	2.67	2.50	2.75	2.50	2.50	3.00	2.65	2.00	2.28	2.21	2.01	ATTAINED
C212-SS-A	3.00	2.75	3.00	2.83	2.50	3.00	2.85	2.00	2.73	2.35	1.95	ATTAINED
C212-SS-B	2.75	2.50	2.50	2.67	2.75	2.50	2.61	2.00	2.73	2.29	1.95	ATTAINED
C212-SS-C	2.75	2.75	3.00	3.00	3.00	3.00	2.92	2.00	2.73	2.37	1.95	ATTAINED
C213-EE-A	2.33	2.50	3.00	2.50	2.50	3.00	2.64	1.00	2.42	1.68	1.95	NOT ATTAINED
C213-EE-B	3.00	2.25	3.00	3.00	2.50	3.00	2.79	2.00	2.42	2.27	1.95	ATTAINED
C213-EE-C	2.67	2.50	3.00	3.00	3.00	3.00	2.86	2.00	2.42	2.29	1.95	ATTAINED
C214-AC-A	2.00	2.00	3.00	3.00	3.00	3.00	2.67	2.00	2.45	2.25	1.80	ATTAINED
C214-AC-B	2.50	3.00	3.00	2.75	2.50	3.00	2.79	3.00	2.56	2.30	1.80	ATTAINED
C214-AC-C	2.67	3.00	3.00	3.00	3.00	3.00	2.94	2.00	2.56	2.90	1.80	ATTAINED
C215-MEFA-A	2.00	1.50	1.83	1.75	1.75	1.75	1.76	3.00	2.55	2.61	1.95	ATTAINED
C215-MEFA-B	1.50	1.50	1.50	1.50	1.50	1.50	1.50	2.00	2.55	1.99	1.95	ATTAINED
C215-MEFA-C	1.50	1.50	1.50	1.50	1.50	1.50	1.50	3.00	2.55	2.55	1.95	ATTAINED
C216-SIM LAB -A	2.00	2.00	2.00	2.00	2.00	2.00	2.00	3.00	2.73	2.71	2.55	ATTAINED
C216-SIM LAB -B	2.00	2.00	2.00	2.00	2.00	2.00	2.00	3.00	2.73	2.71	2.55	ATTAINED
C216-SIM LAB -C	2.00	2.00	2.00	2.00	2.00	2.00	2.00	3.00	2.73	2.71	2.55	ATTAINED
C217-AC LAB-A	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	2.40	2.88	2.55	ATTAINED
C217-AC LAB-B	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	2.40	2.88	2.55	ATTAINED
C217-AC LAB-C	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	2.47	2.89	2.55	ATTAINED
C218-EE LAB-A	2.50	2.75	3.00	2.88	3.00	3.00	2.85	3.00	2.73	2.91	2.40	ATTAINED
C218-EE LAB-B	2.00	1.50	2.00	1.75	1.50	1.50	1.71	3.00	2.73	2.64	2.40	ATTAINED
C218-EE LAB-C	2.50	2.75	3.00	2.63	2.50	2.50	2.65	3.00	2.73	2.86	2.40	ATTAINED
C219-ADP-A	3.00	3.00	3.00	3.00	3.00	3.00	2.65	3.00	2.72	2.94	2.40	ATTAINED
C219-ADP-B	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	2.72	2.94	2.40	ATTAINED
C219-ADP-C	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	2.72	2.94	2.40	ATTAINED
C2110-UHV-A	2.00	2.83	2.50	3.00	2.00	2.75	2.51	NIL	2.52	2.52	1.95	ATTAINED
C2110-UHV-B	3.00	3.00	3.00	3.00	3.00	3.00	3.00	NIL	2.52	2.90	1.95	ATTAINED
C2110-UHV-C	3.00	3.00	3.00	3.00	3.00	3.00	3.00	NIL	2.52	2.90	1.95	ATTAINED



COURSE NAME	INTERNAL						Overall Internal	University	CO Feedback	Overall Course attainment	Set target	Attainment Status
	CO1	CO2	CO3	CO4	CO5	CO6						
C221-PTSP-A	3.00	2.75	3.00	2.83	3.00	3.00	2.93	1.00	2.73	1.81	1.95	NOT ATTAINED
C221-PTSP-B	3.00	2.25	3.00	2.33	3.00	2.75	2.72	2.00	2.73	2.32	1.95	ATTAINED
C221-PTSP-C	2.67	2.75	2.50	2.17	2.50	2.00	2.43	2.00	2.73	2.25	1.95	ATTAINED
C222-DLD-A	2.67	2.00	2.50	2.00	2.25	2.75	2.36	2.00	2.73	2.23	1.95	ATTAINED
C222-DLD-B	2.50	2.00	2.50	2.50	2.75	3.00	2.54	2.00	2.73	2.28	1.95	ATTAINED
C222-DLD-C	3.00	3.00	3.00	3.00	3.00	3.00	3.00	2.00	2.73	2.35	1.95	ATTAINED
C223-EMTL-A	2.00	2.75	2.50	2.75	2.50	2.75	2.54	2.00	2.53	2.24	1.95	ATTAINED
C223-EMTL-B	2.00	2.75	2.50	2.75	2.50	2.25	2.46	2.00	2.49	2.21	1.95	ATTAINED
C223-EMTL-C	2.00	2.50	2.50	2.50	2.50	2.25	2.38	2.00	2.42	2.17	1.95	ATTAINED
C224-CS-A	3.00	3.00	3.00	3.00	3.00	3.00	3.00	2.00	2.73	1.83	1.80	ATTAINED
C224-CS-B	3.00	2.90	3.00	3.00	3.00	3.00	2.98	2.00	2.73	2.38	1.80	ATTAINED
C224-CS-C	3.00	2.80	2.83	3.00	3.00	2.50	2.85	2.00	2.73	2.35	1.80	ATTAINED
C225-LDICA-A	2.67	2.83	2.17	2.17	1.67	1.67	2.19	2.00	2.73	2.19	1.95	ATTAINED
C225-LDICA-B	1.50	1.50	1.50	1.50	1.50	1.50	1.50	2.00	2.73	2.03	1.95	ATTAINED
C225-LDICA-C	3.00	3.00	2.50	3.00	3.00	3.00	2.92	3.00	2.73	2.93	1.95	ATTAINED
C226-DLD LAB-A	3.00	3.00	3.00	3.00	3.00	3.00	3.00	2.00	2.86	2.41	2.40	ATTAINED
C226-DLD LAB-B	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	2.86	2.97	2.40	ATTAINED
C226-DLD LAB-C	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	2.86	2.97	2.40	ATTAINED
C227-CS LAB-A	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	2.45	2.89	2.55	ATTAINED
C227-CS LAB-B	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	2.45	2.89	2.55	ATTAINED
C227-CS LAB-C	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	2.45	2.89	2.55	ATTAINED
C228-LDICA LAB-A	2.50	2.50	2.50	2.50	2.50	2.50	2.50	3.00	2.62	2.80	2.40	ATTAINED
C228-LDICA LAB-B	2.50	2.50	2.50	2.50	2.50	2.50	2.50	3.00	2.62	2.80	2.40	ATTAINED
C228-LDICA LAB-C	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	2.73	2.95	2.40	ATTAINED
C229-DTI-A	3.00	3.00	3.00	3.00	3.00	3.00	3.00	NIL	2.73	2.95	2.40	ATTAINED
C229-DTI-B	3.00	3.00	3.00	3.00	3.00	3.00	3.00	NIL	2.73	2.95	2.40	ATTAINED
C229-DTI-C	3.00	3.00	3.00	3.00	3.00	3.00	3.00	NIL	2.73	2.95	2.40	ATTAINED

COURSE NAME	INTERNAL						Overall Internal	University	CO Feedback	Overall Course attainment	Set target	Attainment Status
	CO1	CO2	CO3	CO4	CO5	CO6						
C111-LAC-A	2.67	2.67	2.33	2.75	2.50	2.50	2.57	2.00	2.34	2.20	2.10	ATTAINED
C111-LAC-B	2.50	3.00	2.67	3.00	3.00	3.00	2.86	2.00	2.26	2.27	2.10	ATTAINED
C111-LAC-C	2.75	3.00	2.83	2.50	2.25	2.50	2.64	2.00	2.31	2.22	2.10	ATTAINED
C112-AP-A	2.50	2.25	3.00	2.50	2.75	2.75	2.63	2.00	2.73	2.29	1.95	ATTAINED
C112-AP-B	2.67	2.00	3.00	2.50	2.50	2.00	2.45	2.00	2.73	2.25	1.95	ATTAINED
C112-AP-C	2.67	2.25	3.00	2.75	2.75	2.50	2.65	2.00	2.73	2.30	1.95	ATTAINED
C113-CE-A	1.83	2.00	3.00	1.67	3.00	3.00	2.42	3.00	2.73	2.80	2.10	ATTAINED
C113-CE-B	1.83	2.00	3.00	1.92	2.50	2.75	2.33	3.00	2.73	2.78	2.10	ATTAINED
C113-CE-C	1.50	2.00	3.00	1.33	2.50	3.00	2.22	3.00	2.73	2.76	2.10	ATTAINED
C114-FEC-A	1.17	1.17	1.17	1.50	1.50	1.50	1.34	1.00	2.33	1.35	1.95	NOT ATTAINED
C114-FEC-B	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.00	2.33	1.39	1.95	NOT ATTAINED
C114-FEC-C	3.00	2.00	3.00	2.50	2.75	3.00	2.71	2.00	2.73	2.32	1.95	ATTAINED
C115-ED-A	2.50	2.50	2.50	2.33	2.33	3.00	2.53	2.00	2.18	2.16	2.10	ATTAINED
C115-ED-B	3.00	3.00	3.00	3.00	3.00	2.33	2.88	2.00	2.18	2.25	2.10	ATTAINED
C115-ED-C	2.75	2.75	3.00	3.00	3.00	3.00	2.91	2.00	2.73	2.37	2.10	ATTAINED
C116-EG LAB-A	2.50	2.67	2.50	2.75	2.50	2.50	2.57	3.00	2.73	2.84	2.40	ATTAINED
C116-EG LAB-B	2.63	3.00	3.00	3.00	2.75	3.00	2.89	3.00	2.41	2.86	2.40	ATTAINED
C116-EG LAB-C	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	2.41	2.88	2.40	ATTAINED
C117-AP LAB-A	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.31	1.50	2.40	NOT ATTAINED
C117-AP LAB-B	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	2.31	2.86	2.40	ATTAINED
C117-AP LAB-C	3.00	3.00	3.00	3.00	3.00	3.00	3.00	2.00	2.31	2.30	2.40	ATTAINED
C118-CE LAB-A	3.00	3.00	3.00	3.00	3.00	3.00	3.00	2.00	2.56	2.35	2.25	ATTAINED
C118-CE LAB-B	3.00	3.00	3.00	3.00	3.00	3.00	3.00	2.00	2.56	2.35	2.25	ATTAINED
C118-CE LAB-C	3.00	3.00	3.00	3.00	3.00	3.00	3.00	2.00	2.56	2.35	2.25	ATTAINED
C119-FECLAB-A	2.50	2.50	2.50	2.50	2.50	2.50	2.50	3.00	2.32	2.75	2.25	ATTAINED
C119-FECLAB-B	3.00	3.00	3.00	3.00	3.00	3.00	3.00	2.00	2.56	2.35	2.25	ATTAINED
C119-FECLAB-C	1.20	1.25	1.50	1.50	1.50	2.00	1.49	3.00	2.70	2.59	2.25	ATTAINED



COURSE NAME	CO1	CO2	CO3	INTERNAL						Overall Internal	University	CO Feedback	Overall Course attainment	Set target	Attainment Status
				CO4	CO5	CO6	CO7	CO8	CO9						
C121-DE&VC-A	3	3	2.67	3	3	3			2.94	1.00	1.99	1.67	1.80	NOT ATTAINED	
C121-DE&VC-B	3	2.5	2.67	3	2.67	3			2.80	2.00	1.99	2.19	1.80	ATTAINED	
C121-DE&VC-C	3	3	2.67	2.75	2.66	2.25			2.72	2.00	1.99	2.17	1.80	ATTAINED	
C122-CHE-A	2.83	2	3	3	3	3			2.80	2.00	2.23	2.24	2.10	ATTAINED	
C122-CHE-B	2.33	2	2.67	3	2.75	3			2.63	2.00	2.20	2.19	2.10	ATTAINED	
C122-CHE-C	2.83	2	3	2.75	2.75	2.25			2.59	2.00	2.23	2.19	2.10	ATTAINED	
C123-CPDS-A	2	2	2	2	1.5	2			1.92	2.00	2.73	2.13	1.95	ATTAINED	
C123-CPDS-B	2	2	2.25	2	2	2			2	2.00	2.73	2.15	1.95	ATTAINED	
C123-CPDS-C	2.83	3	2.25	2.75	3	2.5			2.72	2.00	2.73	2.32	1.95	ATTAINED	
C124-EDC-A	3	2.75	2	2	2.5	2			2.38	1.00	2.73	1.68	1.65	ATTAINED	
C124-EDC-B	1.79	1.90	1.00	1.00	1.00	1.00			1.28	3.00	2.73	1.98	1.65	ATTAINED	
C124-EDC-C	2.83	2.5	2.75	2.75	2.5	2			2.55	1.00	2.75	1.72	1.65	ATTAINED	
C125-EW-A	2	2	2	2	2	2			2	3.00	2.41	2.64	2.40	ATTAINED	
C125-EW-B	2.5	2.5	2.5	2.5	2.5	2.5			2.5	3.00	2.41	2.76	2.40	ATTAINED	
C125-EW-C	2.75	2.75	3	3	3	3			2.93	2.00	2.73	2.37	2.40	NOT ATTAINED	
C126-ITW-A	3.00	3.00	3.00	3.00	3.00	3.00			3.00	3.00	2.73	2.95	2.40	ATTAINED	
C126-ITW-B	3.00	3.00	3.00	3.00	3.00	3.00			3.00	3.00	2.73	2.95	2.40	ATTAINED	
C126-ITW-C	3.00	3.00	3.00	3.00	3.00	3.00			3.00	3.00	2.73	2.95	2.40	ATTAINED	
C127-CPDS LAB-A	2.5	2.5	2.5	2.5	2.5	2.5			2.5	3.00	2.72	2.83	2.40	ATTAINED	
C127-CPDS LAB-B	3.00	3.00	3.00	3.00	3.00	3.00			3.00	3.00	2.72	2.95	2.40	ATTAINED	
C127-CPDS LAB-C	3.00	3.00	3.00	3.00	3.00	3.00			3.00	3.00	2.72	2.95	2.40	ATTAINED	
C128-CHE LAB-A	1.50	1.50	1.50	1.50	1.50	1.50			1.50	2.00	2.17	1.91	2.10	NOT ATTAINED	
C128-CHE LAB-B	2.75	2.50	2.50	2.50	2.50	2.50			2.50	3.00	2.17	2.71	2.10	ATTAINED	
C128-CHE LAB-C	2.75	3	3	2.5	2.67	3			2.82	3.00	2.17	2.79	2.10	ATTAINED	
C129-EDC LAB-A	2.00	2.00	2.00	2.00	2.00	2.00			2.00	3.00	2.73	2.71	2.40	ATTAINED	
C129-EDC LAB-B	3.00	3.00	3.00	3.00	3.00	3.00			3.00	3.00	2.73	2.95	2.40	ATTAINED	
C129-EDC LAB-C	3.00	3.00	3.00	3.00	3.00	3.00			3.00	3.00	2.73	2.86	2.40	ATTAINED	

Course Co-ordinator

Mob

SRM Institute of Science & Technology  
 Gandhinagar, Kanchi  
 S.O. No. 15, Gandhinagar, Kanchi - 605 006